Appendix N - Poole Bay Locality Overview

The Poole Bay locality is largely urban with a higher than average proportion of older people compared to the national average. The locality has a mix of deprived and affluent wards and growth will be seen in the Branksome East and Penn Hill areas, if developments are completed. An analysis of health and the wider determinants of health highlights poor outcomes in pensioners living alone, provision of unpaid care, self-reported limiting long term illness, incidence of prostate and breast cancer, hospital stays for self-harm and emergency hospital admissions for coronary heart disease, stroke, heart attack, hip fracture and children and young people due to injury.


The following headings have been used to describe the locality in more detail:

- Demographics
- Housing
- Health and Wider Determinants


Demographics

Population

ONS 2016 mid-year population estimates show that there are approximately 82,200 people living in the Poole Bay locality (41,000 males and 41,200 females). In this urban area, population density is highest around Branksome, Westbourne and Parkstone.



Compared to the Dorset CCG average, Poole Bay has a higher proportion of people aged 15-44, and a lower proportion of 55 to 79 year olds. Nevertheless, the proportion of the population aged 65 & over in Poole Bay is higher than the national average (23% compared with 18%).



Locally produced projections suggest that the population of the Poole Bay locality will rise at a faster rate (+3.5%) than both the Dorset CCG average (+2%) and the national average (+2%) between 2018 and 2021. Within this trend, the proportion of the population aged 65 & over will remain higher than the national average.

Ethnicity

The vast majority of the population in Poole Bay are White British. Ethnic minority groups account for a smaller proportion of the population locally than in England as a whole (5% compared with 15% - see table below which is based on 2011 Census data).

	Poole Bay	England
White	94.76%	85.42%
Mixed	1.68%	2.25%
Asian	2.59%	7.82%
Black	0.51%	3.48%
Other	0.47%	1.03%


Religion

The 2011 Census suggests that, as in England as whole, the majority of Poole Bay's population are Christians. However, while the proportion of locality's population whose religion is Jewish is slightly higher than the England average, the proportion of the population who are either Hindu, Muslim or Sikh is lower than the national average. The proportion who are Buddhist is similar to the England average.

	Poole Bay	England	
Christian	59.59%	59.40%	
Buddhist	0.45%	0.50%	
Hindu	0.34%	1.50%	
Jewish	0.60%	0.50%	
Muslim	1.00%	5.00%	
Sikh	0.05%	0.80%	
Other religion	0.53%	0.40%	
No religion	29.64%	24.70%	
Not stated	7.80%	7.20%	

Deprivation

Three of the lower super output areas (LSOAs) in Poole Bay are amongst the 20% most deprived in England. A further 10 LSOAs are amongst the 40% most deprived. The most deprived areas of the Poole Bay locality are Alderney, West Cliff and Newtown.



Housing

To understand any increases in demand for services based on planned housing developments, planning applications with consent to build over the next three years have been analysed. This gives a realistic picture of housing growth within the locality. The net development within the locality is shown below, providing these developments are completed. Most development is planned for Branksome East and Penn Hill.

Ward (2014)	Net Development
Alderney	10
Branksome East	308
Branksome West	40
Canford Cliffs	213
Newtown	115
Parkstone	236
Penn Hill	260

Health & Wider Determinants

To understand the health needs and wider determinants of health in the locality a national profiling tool has been used. This compares locality level data with the English average and highlights any areas that are significantly different.

The spine chart below visualises the data and for each indicator it highlights whether the score locally is significantly different to national rates using a 95% confidence interval.



Local Health

Indicators	Poole Bay	England	England worst	Summary chart	England best
Income deprivation - English Indices of Deprivation 2015 (%)	11.6	14.6	51.4		0.8
Low Birth Weight of term babies (%)	2.9	2.8	7	4	0.6
Child Poverty - English Indices of Deprivation 2015 (%)	16.7	19.9	65.1	•	0.7
Child Development at age 5 (%)	N/A - Zero divide		N/A - Missing value	•	N/A - Missing value
GCSE Achievement (5A*-C inc. Eng & Maths) (%)	N/A - Zero divide		N/A - Missing value	•	N/A - Missing value
General Health - bad or very bad (%)	5.5	5.5	16.2	0	0
General Health - very bad (%)	1.3	1.2	4.3	4	0
Limiting long term illness or disability (%)	19.4	17.6	40.8	•	2.2
Overcrowding (%)	8.4	8.7	54.4	0	0.2
Provision of 1 hour or more unpaid care per week (%)	10.5	10.2	16.8	•	1.7
Provision of 50 hours or more unpaid care per week (%)	2.3	2.4	7.2	0	0
Pensioners living alone (%)	33.9	31.5	63.3	•	13.1
Older People in Deprivation - English Indices of Deprivation 2015 (%)	14.1	16.2	85.4	•	0.7
Deliveries to teenage mothers (%)	1	1.1	6.2	0	0
Emergency admissions in under 5s (Crude rate per 1000)	198.1	149.2	378.2	•	36
A&E attendances in under 5s (Crude rate per 1000)	369.3	551.6	2553.6		119.4
Admissions for injuries in under 5s (Crude rate per 10,000)	182.5	138.8	458.2	•	37.6
Admissions for injuries in under 15s (Crude rate per 10,000)	135.9	108.3	254.6	•	38.1
Admissions for injuries in 15 - 24 year olds (Crude rate per 10,000)	201.5	133.1	517.2	•	34.2
Obese adults (%)	22.9	24.1	34.8	6	5.9
Binge drinking adults (%)	20.8	20	56.4	6	3.3
Healthy eating adults (%)	31.3	28.7	12.3		54.1
Obese Children (Reception Year) (%)	7.9	9.3	18.7	0	2.6
Children with excess weight (Reception Year) (%)	19.7	22.2	36.2		7.4
Obese Children (Year 6) (%)	17	19.3	35.5		4.5
Children with excess weight (Year 6) (%)	29.9	33.6	52.1		12.6
Emergency hospital admissions for all causes (SAR)	101.6	100	211.5		25.5
Emergency hospital admissions for CHD (SAR)	130.5	100	362.3	•	26
Emergency hospital admissions for stroke (SAR)	121.5	100	228.9		32.4
Emergency hospital admissions for Myocardial Infarction (heart attack) (SAR)	123.2	100	358		21.9
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD) (100	586.1		9.7
Incidence of all cancer (SIR)	100.1	100	142	4	68.7
Incidence of breast cancer (SIR)	112.5	100	179.2	•	46.3
Incidence of colorectal cancer (SIR)	95.4	100	179.6	6	34.5
Incidence of lung cancer (SIR)	78	100	295.9		24.5
Incidence of prostate cancer (SIR)	124.6	100	213	•	32.6
Hospital stays for self harm (SAR)	144.2	100	584		10.5
Hospital stays for alcohol related harm (SAR)	95.3	100	311.1	1	37.7
Emergency hospital admissions for hip fracture in 65+ (SAR)	114.9	100	240.7		38.1
Elective hospital admissions for hip replacement (SAR)	97.3	100	190.2		15.9
Elective hospital admissions for knee replacement (SAR)	84.6	100	204.1		18.2
Deaths from all causes, all ages (SMR)	98.5	100	273	6	43.5
Deaths from all causes, under 65 years (SMR)	98.7	100	377.4	- I	0
Deaths from all causes, under 75 years (SMR)	93.9	100	323.5	The second se	27.8
Deaths from all cancer, all ages (SMR)	94	100	326.6	T I	0
Deaths from all cancer, under 75 years (SMR)	92.5	100	347.6	- I	0
Deaths from circulatory disease, all ages (SMR)	92.5	100	286.1	- I I I I I I I I I I I I I I I I I I I	0
Deaths from circulatory disease, an ages (SMR) Deaths from circulatory disease, under 75 years (SMR)	82.3	100	345.6	5	0
Deaths from coronary heart disease, all ages (SMR)	88.1	100	485.5	T I	0
Deaths from coronary heart disease, under 75 years (SMR)	79.8	100	496.4	1	0
Deaths from stroke, all ages (SMR)	108.5	100	1181.9	J	0
Deaths from respiratory diseases, all ages (SMR)	81.3	100	328.8	1	0
Dound non roophatory disclases, an ages (orang					
	🗧 sign	ificantly worse (significantly better (not significantly diffe	erent from average

significantly worse significantly better on t significantly different from average

The main areas where the Poole Bay locality has worse outcomes than the national average are in pensioners living alone, provision of unpaid care, self reported limiting long term illness, incidence of prostate and breast cancer, hospital stays for self harm and emergency hospital admissions for coronary heart disease, stroke, heart attack, hip fracture and children and young people due to injury.